Village Collection®



Build your garage door

Visualize your home with a new garage door. Visit **garaga.com/designcentre** or scan the QR code.







Village Collection[®] Add a touch of refinement to your home...



V Layout, Flat base, 9' x 8', Dark Walnut, windows with Double Stockton Arch Long Inserts

Traditional Onspiration



I-1 Layout, Flat base, 9' x 8', White, windows with Stockton Long Inserts

TRADITIONAL STYLE INLAY LAYOUTS

Flat base

9' x 7'	16' x 7'
I-1 Layout	I-1 Layout
I-2 Layout	I-2 Layout



I-2 Layout, Flat base, 9' x 8', Almond, Satin windows



I-1 Layout

Plank base 9' x 7'

1			
-	 I-1 L	ayout	

I-2 Layout





CARRIAGE HOUSE STYLE INLAY LAYOUTS

Flat base


9' x 7'	16' x 7'
X Layout	X Layout
A Layout	A Layout
V Layout	V Layout

Plank base


V Layout

9' x 7'	16' x 7'
X Layout	X Layout
Image: A constraint of the second	A Layout

	1/111111		1/111111
	V La	ayout	









I-1 Layout, Plank base, 9' x 8', Terrastone, windows with Stockton Inserts



IN-GARAGE DELIVERY READY with a reliable Garaga garage door!

Find out the must-haves and the steps to get started. Keep your online deliveries safe, visit garaga.com/ingaragedelivery or scan the QR code.



LiftMaster

A bit more technical...




STEEL | THICKNESS: 2"

Find the design you love among the ten sensational ones available.

COLORS¹


Standard White Sandstone* Sahara* White Sandstone* Sahara* Almond* Brown Terrastone* Premium Jark Walnut* Jark Walnut*

TYPES OF GLASS (41" x 16")²



² Double-pane glass available for the Vantage construction.

Decorative inserts



WARRANTY

Vantage Door sections: limited lifetime Weatherstripping: 1 year Bolted Hardware: 1 year Windows: 10 years against seal defects 1 year for thermal break Regal Door: 15 years (limited) Weatherstripping: 1 year Bolted Hardware: 1 year

DECORATIVE HARDWARE

* Theses colors are not available with the Moderno SSG model.

Handmade wrought iron texture

¹ Same colors are available for the inlays.








Slightly bumpy texture





SIZES

Standard widths, in 1" increments: from 8' to 20' for Vantage and Regal N24 constructions; from 8' to 18' for Regal N25 construction. See your garage door dealer for more details on oversized doors available.

CONSTRUCTIONS

Triple-layer: steel +

CONSTRUCTION SUMMARY

	VANTAGE	_
-layer: steel + insulation	 I + insulation + steel 1 26-gauge pre-painted galvanized steel for high durability 2 2" tongue and groove meeting rail to provide a weather-tight seal between sections, and rails are hemmed the entire length of the section for added strength and safety 3 Polystyrene insulation pressure bonded between two layers of steel for energy efficiency 4 20-gauge white baked-on paint finish end stiles for a nice clean look 5 Full length reinforcing plates to 	
		_
2	provide a weather-tight seal between sections, and rails are hemmed the entire length of the section for added	
3 1	bonded between two layers of steel	-
4		_
	5 Full length reinforcing plates to solidly attach hinges and struts	-
	Garaga Wind Load Option is only available for specific regions. o your local garage door dealer for more information.	_

IMPORTANT - Exterior face: light woodgrain finish. Interior face: stucco finish. Door interior: regardless of the color chosen, the inside is always White (door and window frames).

REGAL N24 & REGAL N25

Single-layer: steel OR Double-layer: steel + insulation



– Option —

Talk to your local garage door dealer for more information.

The Garaga Wind Load Option is only available for specific regions.

- 1 2 options of outside layer: heavy duty steel or steel for high durability
- 2 2" tongue and groove meeting rail to provide a weather-tight seal between sections, and rails are hemmed the entire length of the section for added strength and safety
- 3 20-gauge galvanized end and center stiles to increase strength and durability
- 4 Polystyrene vinyl-backed insulation available as an option

	VANTAGE	REGAL N24	REGAL N25
CONSTRUCTION	Triple-layer	Single-layer or Double-layer	
OUTSIDE LAYER	Steel	Heavy duty steel	Steel
INSULATION	Polystyrene	Non-insulated with optional polystyrene vinyl-backed insulation	
THICKNESS	2"	2	
	INLAY LAYOUTS	5	
Flat Base	•	•	
Plank Base	٠	•	•
	COLORS		
White	•	•	•
Sandstone	•	•	•
Sahara	•	•	•
Almond	٠	•	•
Brown	٠	•	
Terrastone	٠	•	
Black Ice	•	•	
Dark Walnut	•	•	
WIND LOAD	Optional	Optional	N/A
DOUBLE-PANE GLASS	Optional	N/A	N/A

STEEL INLAYS





• 1/2 HP, AC or DC power



Consult garaga.com/res-openers or scan the QR code to view all available openers and accessories.

- ¾ HP, AC or DC power
- Integrated camera
- for some models
- DC power
- 1/2 HP, AC or DC power • Integrated camera for some models

Quiet and reliable garage door openers